

SAFE SUV CARS (Left driving)



Specification:

Dimensions (L x W x H) (mm):	4860,4795,4625,4560x1725,1780x1820
Payload (kg):	300
Total Mass (kg):	1965/2085
Complete Vehicle Kerb Mass (kg):	1640/1760
Max Speed (km/h) :	>=120
Type of driving:	Rear driving /4 wheel driving
Track base (front/rear) (mm):	1480/1470
Wheel base (mm):	2615
Min. ground clearance:	200
Approach angle:	48
Departure angle:	22
Front suspension:	Double cross-arms type, independent suspension with torsion bar springs
Suspension (rear):	Spring coil
Brake mode:	Two-circuit hydro-vacuum brake
Brake (front/rear):	Disc brake/drum brake
Gear:	5 forward gear, 1 reverse gear
Tire :	235/75R15
Passengers (front/rear):	2/3
Displacement/Power (mL/kW):	2237/74.5
Engine:	491QE

PEGASUS SUV Left driving



Specification:

Dimensions (L x W x H) (mm):	4820x1870,1700x1855,1835
Type:	2WD/4WD
Total Mass (kg):	1950/2035
Complete Vehicle Kerb Mass (kg):	1625/1710
Max Speed (km/h) :	>=120
Type of driving:	Rear driving /4 wheel driving
Track base (front/rear) (mm):	1465/1485 &1465/1485
Wheel base (mm):	2760
Approach angle:	29/27
Front suspension:	Double cross-arms type, independent suspension with torsion bar springs
Suspension (Front/Rear)(mm):	760/1300
Brake mode:	Two-circuit hydro-vacuum brake
Brake (front/rear):	Disc brake/drum brake
Gear:	5 forward gear, 1 reverse gear
Tire :	235/75R15& P235/75R15
Payload (kg):	300
Engine:	491QE Multi-points ele-injection engine

SING SUV Left driving



Specification:

Dimensions (L x W x H) (mm):	5105x1785x1870
Type:	Petrol/ Diesel
Total Mass (kg):	2295/2340 / 2430
Complete Vehicle Kerb Mass (kg):	1670/1760
Max Speed (km/h) :	>=120
Passenger seats:	5or7 / 7
Track base (front/rear) (mm):	1450/1430
Wheel base (mm):	3025
Engine:	491QE/4JB1/GW4D28
Front suspension:	Double cross-arms type, independent suspension with torsion bar springs/ Variable-rate, unsymmetrical leaf spring suspension
Suspension (Front/Rear)(mm):	760/1300
Brake mode:	Two-circuit hydro-vacuum brake
Brake (front/rear):	Disc brake/drum brake
Gear:	5 forward gear, 1 reverse gear
Tire :	235/75R15
Payload (kg):	300or200 / 200
Engine:	491QE Multi-points ele-injection engine